

# 07 Applications of Integration

Content Area: **Math**  
Course(s):  
Time Period: **Full Year**  
Length: **4 weeks**  
Status: **Published**

## **General Overview, Course Description or Course Philosophy**

---

This is an advanced course for those students who have completed Precalculus. The course includes topics of a first semester college calculus program. Major areas of concentration are the theory of limits, differential calculus and its applications, and integral calculus and its applications.

## **OBJECTIVES, ESSENTIAL QUESTIONS, ENDURING UNDERSTANDINGS**

---

This unit focus on the application of the definite integral for modeling and solving problems. These often relate to geometric concepts of area and volume, and physics problems related to position, velocity, acceleration, and displacement.

Essential Questions:

For what types of problem solving is integration an essential tool?

How does integration allow one to solve problems related to area an volume?

How are the fields of Calculus, Physics, and Geometry related?

## **CONTENT AREA STANDARDS**

---

**G.C**

**A. Understand and apply theorems about circles**

**B. Find arc lengths and areas of sectors of circles**

**G.CO**

**A. Experiment with transformations in the plane**

**B. Understand Congruence in terms of rigid motions**

**C. Prove geometric theorems**

**D. Make geometric constructions**

## **G.GPE**

**A. Translate between the geometric description and the equation for a conic section**

**B. Use coordinates to prove simple geometric theorems algebraically**

## **G.MG**

**A. Apply geometric concepts in modeling situations**

## **G.SRT**

**A. Understand similarity in terms of similarity transformations**

**B. Prove theorems involving similarity**

**C. Define trigonometric ratios and solve problems involving right triangles**

**D. Apply trigonometry to general triangles**

MA.9-12.EU 3.1	Antidifferentiation is the inverse process of differentiation.
MA.9-12.EU 3.2	The definite integral of a function over an interval is the limit of a Riemann sum over that interval and can be calculated using a variety of strategies.
MA.9-12.EU 3.3	The Fundamental Theorem of Calculus, which has two distinct formulations, connects differentiation and integration.
MA.9-12.EU 3.4	The definite integral of a function over an interval is a mathematical tool with many interpretations and applications involving accumulation.
MA.9-12.EU 3.5	Antidifferentiation is an underlying concept involved in solving separable differential equations. Solving separable differential equations involves determining a function or relation given its rate of change.

## **RELATED STANDARDS (Technology, 21st Century Life & Careers, ELA Companion Standards are Required)**

---

### **NJSLS-CLKS**

9.4.12.CI.1: Demonstrate the ability to reflect, analyze, and use creative skills and ideas (e.g., 1.1.12prof.CR3a)

9.4.12.CI.2: Identify career pathways that highlight personal talents, skills, and abilities (e.g., 1.4.12prof.CR2b, 2.2.12.LF.8).

9.4.12.CI.3: Investigate new challenges and opportunities for personal growth, advancement, and transition

(e.g., 2.1.12.PGD.1).

9.4.12.CT.1: Identify problem-solving strategies used in the development of an innovative product or practice (e.g., 1.1.12acc.C1b, 2.2.12.PF.3).

9.4.12.CT.2: Explain the potential benefits of collaborating to enhance critical thinking and problem solving (e.g., 1.3E.12profCR3.a).

9.4.12.DC.7: Evaluate the influence of digital communities on the nature, content and responsibilities of careers, and other aspects of society (e.g., 6.1.12.CivicsPD.16.a).

9.4.12.DC.8: Explain how increased network connectivity and computing capabilities of everyday objects allow for innovative technological approaches to climate protection.

9.4.12.IML.3: Analyze data using tools and models to make valid and reliable claims, or to determine optimal design solutions (e.g., S-ID.B.6a., 8.1.12.DA.5, 7.1.IH.IPRET.8)

9.4.12.IML.4: Assess and critique the appropriateness and impact of existing data visualizations for an intended audience (e.g., S-ID.B.6b, HS-LS2-4).

9.4.12.TL.1: Assess digital tools based on features such as accessibility options, capacities, and utility for accomplishing a specified task (e.g., W.11-12.6.).

9.4.12.TL.2: Generate data using formula-based calculations in a spreadsheet and draw conclusions about the data.

9.4.12.TL.3: Analyze the effectiveness of the process and quality of collaborative environments.

9.4.12.TL.4: Collaborate in online learning communities or social networks or virtual worlds to analyze and propose a resolution to a real-world problem (e.g., 7.1.AL.IPERS.6).

MA.K-12.1	Make sense of problems and persevere in solving them.
MA.K-12.2	Reason abstractly and quantitatively.
MA.K-12.3	Construct viable arguments and critique the reasoning of others.
MA.K-12.4	Model with mathematics.
MA.K-12.5	Use appropriate tools strategically.
MA.K-12.6	Attend to precision.
MA.K-12.7	Look for and make use of structure.
MA.K-12.8	Look for and express regularity in repeated reasoning.
LA.RI.11-12.3	Analyze a complex set of ideas or sequence of events and explain how specific individuals, ideas, or events interact and develop over the course of the text.
LA.RI.11-12.4	Determine the meaning of words and phrases as they are used in a text, including figurative, connotative, and technical meanings; analyze how an author uses and refines the meaning of a key term or terms over the course of a text (e.g., how Madison defines faction in Federalist No. 10).
LA.RI.11-12.7	Integrate and evaluate multiple sources of information presented in different media or formats (e.g., visually, quantitatively) as well as in words in order to address a question or solve a problem.

LA.W.11-12.1	Write arguments to support claims in an analysis of substantive topics or texts, using valid reasoning and relevant and sufficient evidence.
LA.W.11-12.4	Produce clear and coherent writing in which the development, organization, and style are appropriate to task, purpose, and audience. (Grade-specific expectations for writing types are defined in standards 1–3 above.)
TECH.8.1.12.A.CS1	Understand and use technology systems.
TECH.8.1.12.A.CS2	Select and use applications effectively and productively.
TECH.8.1.12.B.CS1	Apply existing knowledge to generate new ideas, products, or processes.
TECH.8.1.12.D.CS1	Advocate and practice safe, legal, and responsible use of information and technology.
TECH.8.1.12.D.CS2	Demonstrate personal responsibility for lifelong learning.
TECH.8.1.12.E.CS1	Plan strategies to guide inquiry.
TECH.8.1.12.E.CS4	Process data and report results.
TECH.8.1.12.F.1	Evaluate the strengths and limitations of emerging technologies and their impact on educational, career, personal and or social needs.
TECH.8.1.12.F.CS1	Identify and define authentic problems and significant questions for investigation.
TECH.8.1.12.F.CS2	Plan and manage activities to develop a solution or complete a project.
TECH.8.1.12.F.CS3	Collect and analyze data to identify solutions and/or make informed decisions.
TECH.8.2.12.C.4	Explain and identify interdependent systems and their functions.
TECH.8.2.12.D.CS2	Use and maintain technological products and systems.
TECH.8.2.12.D.CS3	Assess the impact of products and systems.

## STUDENT LEARNING TARGETS

---

### Declarative Knowledge

---

Students will understand that:

- An antiderivative of a function  $f$  is a function  $g$  whose derivative is  $f$ .
- Differentiation rules provide the foundation for finding antiderivatives.
- A Riemann sum, which requires a partition of an interval  $I$ , is the sum of products, each of which is the value of the function at a point in a subinterval multiplied by the length of that subinterval of the partition.
- The definite integral of a continuous function  $f$  over the interval  $[a, b]$ , denoted by  $\int$  (from  $a$  to  $b$ )  $f(x)dx$ , is the limit of Riemann sums as the widths of the subintervals approach 0. That is  $\int$  (from  $a$  to  $b$ )  $f(x)dx = \lim$  [as  $\max \Delta x_i$  approaches 0]  $\sum [i = 1 \text{ to } n] f(x_i^*)\Delta x_i$ , where  $x_i^*$  is a value in the  $i$ th subinterval,  $\Delta x_i$  is the width of the  $i$ th subinterval,  $n$  is the number of subintervals, and  $\max \Delta x_i$  is the width of the largest subinterval. Another form of the definition is  $\int$  (from  $a$  to  $b$ )  $f(x)dx = \lim$  [as  $n$  approaches  $\infty$ ]  $\sum [i = 1 \text{ to } n] f(x_i^*)\Delta x_i$ , where  $\Delta x_i = (b - a)/n$  and  $x_i^*$  is a value in the  $i$ th subinterval.
- The information in a definite integral can be translated into the limit of a related Riemann sum, and the limit of a Riemann sum can be written as a definite integral.
- Definite integrals can be approximated for functions that are represented graphically, numerically,

algebraically, and verbally.

- Definite integrals can be approximated using a left Riemann sum, a right Riemann sum, a midpoint Riemann sum, or a trapezoidal sum; approximations can be computed using either uniform or nonuniform partitions.
- In some cases, a definite integral can be evaluated by using geometry and the connection between the definite integral and area.
- Properties of definite integrals include the integral of a constant times a function, the integral of the sum of two functions, reversal of limits of integration, and the integral of a function over adjacent intervals.
- The definition of the definite integral may be extended to functions with removable or jump discontinuities
- The definite integral can be used to define new functions; for example,  $f(x) = \int (\text{from } 0 \text{ to } x) e^{-t^2} dt$ .
- If  $f$  is a continuous function on the interval  $[a, b]$ , then  $d/dx (\int (\text{from } a \text{ to } x) f(t)dt) = f(x)$ , where  $x$  is between  $a$  and  $b$ .
- Graphical, numerical, analytical, and verbal representations of a function provide information about the function  $g$  defined as  $g(x) = \int (\text{from } a \text{ to } x) f(t)dt$ .
- The function defined by  $F(x) = \int (\text{from } a \text{ to } x) f(t)dt$  is an antiderivative of  $f$ .
- If  $f$  is continuous on the interval  $[a, b]$  and  $F$  is an antiderivative of  $f$ , then  $\int (\text{from } a \text{ to } b) f(x)dx = F(b) - F(a)$ .
- The notation  $\int f(x)dx = F(x) + C$  means that  $F'(x) = f(x)$ , and  $\int f(x)dx$  is called an indefinite integral of the function  $f$ .
- Many functions do not have closed form antiderivatives.
- A function defined as an integral represents an accumulation of a rate of change.
- The definite integral of the rate of change of a quantity over an interval gives the net change of that quantity over that interval.
- The limit of an approximating Riemann sum can be interpreted as a definite integral.
- For a particle in rectilinear motion over an interval of time, the definite integral of velocity represents the particle's displacement over the interval of time, and the definite integral of speed represents the particle's total distance traveled over the interval of time.
- Areas of certain regions in the plane can be calculated with definite integrals.
- Volumes of solids with known cross sections, including discs and washers, can be calculated with definite integrals.
- The definite integral can be used to express information about accumulation and net change in many applied contexts.
- Techniques for finding antiderivatives include algebraic manipulation such as long division and completing the square, substitution of variables.

## Procedural Knowledge

---

Students will be able to:

- Recognize antiderivatives of basic functions.
- Interpret the definite integral as the limit of a Riemann sum.
- Express the limit of a Riemann sum in integral notation.

- Approximate a definite integral.
- Calculate a definite integral using areas and properties of definite integrals.
- Analyze functions defined by an integral.
- Calculate antiderivatives.
- Evaluate definite integrals.
- Interpret the meaning of a definite integral within a problem.
- Apply definite integrals to problems involving the average value of a function.
- Apply definite integrals to problems involving motion.
- Apply definite integrals to problems involving area, volume.

## **EVIDENCE OF LEARNING**

---

### **Benchmark Assessments**

---

Benchmark Assessments conducted three times per year, using Pear Assessment (Standards Based Assessments)

### **Alternate Assessments**

---

- Portfolios
- Verbal Assessment (instead of written)
- Multiple choice
- Modified Rubrics
- Performance Based Assessments

### **Formative Assessments**

---

- Student feedback/questioning/observation
- Exit Ticket
- Error analysis
- Specific skill assessment/questions
- Survey/polling

- Reflection questions
- Scored/evaluated class work or homework
- Task completion

## **Summative Assessments**

---

- Lesson Quizzes
- Unit Test
- Performance Tasks

## **RESOURCES (Instructional, Supplemental, Intervention Materials)**

---

### **Core Instructional Materials**

Textbook - Calculus AP Edition: Finney, et al. ISBN 0-13-201408-4

### **Supplemental Materials**

Internet based resources such as:

[Khan Academy](#)

[Albert.IO](#)

[DeltaMath](#)

Teacher produced materials

<http://www.shodor.org/interactivate/activities/FunctionRevolution/>

<https://education.ti.com/en/us/activity/detail?id=28B9EEE4BC73440F929265764D690DDD>

<https://www.geogebra.org/material/show/id/286177>

## **INTERDISCIPLINARY CONNECTIONS**

---

Interdisciplinary connections are frequently addressed through modeling and application problems whereby solve and analyze situations taken from business, physics, engineering, biology, statistics, geography, and

numerous other fields. Examples can be found in topic specific textbook problems and digital resources.

## **ACCOMMODATIONS & MODIFICATIONS FOR SUBGROUPS**

---

See link to Accommodations & Modifications document in course folder.